

Superseded

(click here for current version ->)

Subject

AES Agremax

Location

Street Address:

City: Guayama

State: PR Zip Code:

Contact

George Meyer

Phone

212-637-4070

Department

DECA-RCB

Last Updated

02/20/2013 04:09 PM

The widespread land placement of "Agremax," an aggregate made of ash generated by the AES coal fired power plant in Guayama, Puerto Rico and sold as a "product" under a PR Environmental Quality Board (EQB) solid waste exemption, may present significant environmental and health risks from leaching heavy metals. The environmental group Earthjustice, on behalf of several PR environmental advocates, has urged the Region to address the issue through use of its imminent and substantial endangerment authority under RCRA Section 7003, and the national environmental group Public Justice has issued a notice of intent to sue AES under RCRA §7002, but has delayed taking suit.

Notice of Intent to Sue

In September 2012, the environmental group Public Justice issued a notice of intent to sue AES under RCRA §7002 (please see attached), but has since delayed taking suit. EPA shares Public Justice's concerns. The notice of intent to sue, in fact, quotes extensively from EPA's November 2011 letter to EQB Chairman Nieves, which requested reconsideration of the EQB Resolutions and Notifications that provide the solid waste exemption for Agremax, to incorporate, among other things, risk evaluation and engineering controls.

EOB

In a January 2012 reply to our November 2011 letter, Chairman Nieves stated that EQB was developing draft guidelines for the use of Agremax. EPA responded in February 2012, and indicated that it remained concerned with the ongoing use of Agremax in the absence of appropriate engineering controls. EQB subsequently gave EPA draft guidelines to review, and EPA provided comments in a July 2012 letter. EPA later spoke with EQB Chairman Nieves, and was informed that EPA's comments, along with others received from the public and regulated community, were being evaluated by an independent committee and could not be reviewed by EQB until the committee's review was completed. Chairman Nieves did not, however, know when this would occur.

Ex. 5 - Deliberative

AES Well Field

Among EPA's concerns is potential leaching from Agremax deposited at an AES well field north of the AES Guayama generating facility (please see attached photographs). EPA notes that, beyond being located in a flood plain, the AES well field presents a number of potential environmental risk factors, because it is situated adjacent to wetlands and a surface water body, the Guaymani river (which EPA understands is used for subsistence fishing), as well as near a canal receiving and distributing water from nearby Lake Melania. It is also located, via the Guaymani River, upstream of several federally endangered species.

Redacted - not responsive

Redacted - not responsive

Redacted - not responsive

In a September 2010 letter, representatives of the environmental group Earthjustice and a private citizen, Ms. Ruth Santiago, Esq., had requested that EPA look into the management of Agremax, stating that the relevant EQB beneficial use determination had been repealed, that Agremax had continued to be used inappropriately as fill, and that such use posed environmental threats. On this basis, they urged that EPA conduct groundwater and other monitoring. Our investigation of this issue was also supported by the Office of Resource Conservation and Recovery (coal combustion residuals rulemaking work group lead Alex Livniat, PhD). We subsequently confirmed that the EQB Resolutions and Notifications providing the Agremax solid waste exemption have been, and remain, in effect.

In June 2011, EPA met with the coal combustion product manager for AES P.R., who informed us that the Guayama coal fired power plant mixes all of its bottom and fly ash with the spent lime from its air pollution control equipment, to produce over 4,000 tons/week of Agremax. EPA accompanied several P.R. environmental advocates on site visits

to ten areas where Agremax had been placed on land in the municipalities of Arroyo, Guayama, and Salinas, and observed that Agremax had been disposed of in great amounts over extensive areas, some in proximity to rivers, streams, and wetlands. We met with the P.R. Department of Health to review their groundwater data, obtained from wells near the land placement sites (no exceedences observed), and spoke at length with EQB, who subsequently provided us their aquifer ground water level data (no relevant contaminant analysis). We also reviewed ground water data from the P.R. Aqueduct and Sewer Authority (no exceedences observed).

We are aware of potentially analogous damage cases documented by EPA and others, involving coal ash disposal. A 2007 EPA report "Coal Combustion Waste Damage Case Assessments" documents known damage cases from the mismanagement of coal ash in unlined landfills and surface impoundments and the subsequent contamination of drinking water aquifers through the leaching and ground water transport of contaminants in the ash. Of these damage cases, two EPA Orders, issued in 2003 and 2004 under the Comprehensive Environmental Response, Compensation, and Liability Act, and a subsequent 2004 citizen suit taken under Section §7002 of the Resource Conservation and Recovery Act, address aquifer and well water contamination by the leaching of toxic constituents from an unlined coal ash landfill in Pines, Indiana.

The EQB Resolutions and Notifications are based on Agremax not failing the RCRA toxicity characteristic leaching procedure (TCLP), as detailed in a 2007 study and report by the P.R. legislature. Typically, coal ash does not fail TCLP. However, EPA has concerns about its toxicity (see below paragraph). EPA has since developed four new test methods for evaluating leaching in the environment, called the leaching environmental assessment framework, or "LEAF", two of which have been published as official EPA test methods on the EPA SW-846 website, and two of which are scheduled for such publication. However, EPA has no plan to replace the regulatory uses of the TCLP (*i.e.*, to make hazardous waste determinations) with the new test methods. Rather, the LEAF tests will be used where TCLP is not required or best suited (the TCLP was designed to model leaching from hazardous waste within a landfill), in order to provide an estimate of contaminant release under various environmental conditions.

In March 2012, EPA, accompanied by EQB, obtained a composite sample of "manufactured" Agremax stored at the AES Guayama facility. The composite sample was analyzed by an EPA-ORD contract laboratory, using two of the LEAF methods. The analytical results gave us a clearer understanding of the heavy metal levels in Agremax under a range of pH conditions. ORD stated that "Agremax" had contaminant levels no different than observed in a "typical" coal ash. ORD also performed follow-up analysis, which confirms these findings.

Milestones Date	Milestone

Accomplish	ments

AES Agremax

08/05/2013

3